



IL-FD02 GOLF CART

Item	Unit	Specification
Length × Width × Height	Mm	2300×1220×1760
Wheel base	Mm	1650
Front /back	Mm	870/990
Mini ground clearance	Mm	105
Mini turning radium	Mm	3400
Max speed	Km/h	24
Maximum grade ability	%	30
Total weight(including storage battery)	Kg	480
Carrying capacity (mass)	Kg	180
Seating Capacity	Person	2
Mileage	Km	70
Battery motor power system		2.2KW/48V—190Ah



IL-FD04A GOLF CART

Item	Unit	Specification
Length × Width × Height	Mm	3100×1220×1840
Wheel base	Mm	2450
Front /back	Mm	870/990
Mini ground clearance	Mm	105
Mini turning radium	Mm	4000
Max speed	Km/h	24
Maximum grade ability	%	30
Total weight(including storage battery)	Kg	600
Carrying capacity (mass)	Kg	300
Seating Capacity	Person	4
Mileage	Km	80
Battery motor power system		3KW/48V—190Ah



IL-FD06A GOLF CART

Item	Unit	Specification
Length × Width × Height	Mm	3850*1160*1860
Wheel base	Mm	2700
Front /back	Mm	860/975
Mini ground clearance	Mm	105
Mini turning radius	Mm	4500
Max speed	Km/h	35
Maximum grade ability	%	20
Total weight(including storage battery)	Kg	690
Carrying capacity (mass)	Kg	450
Seating Capacity	Person	6
Mileage	Km	80
Battery motor power system		4KW/48V—210Ah



IL-FD08 GOLF CART

Item	Unit	Specification
Length × Width × Height	Mm	4350×1220×1900
Wheel base	Mm	3250
Front /back	Mm	870/990
Mini ground clearance	Mm	105
Mini turning radium	Mm	5700
Max speed	Km/h	24
Maximum grade ability	%	18
Total weight(including storage battery)	Kg	735
Carrying capacity (mass)	Kg	600
Seating Capacity	Person	8
Mileage	Km	70
Battery motor power system		3KW/48V—210Ah



IL-GD11A SIGHTSEEING CART

Item	Unit	Specification
Length × Width × Height	Mm	5230×1450×2060
Wheel base	Mm	3470
Front /back	Mm	1230/1300
Mini ground clearance	Mm	170
Mini turning radium	Mm	4900
Max speed	Km/h	30
Maximum grade ability	%	20
Total weight(including storage battery)	Kg	880
Carrying capacity (mass)	Kg	900
Seating Capacity	Person	8—12
Mileage	Km	80
Battery motor power system		4kw/48v—210AH



IL-GD14A SIGHTSEEING CART

Item	Unit	Specification
Length × Width × Height	Mm	4990×1530×1970
Wheel base	Mm	2660
Front /back	Mm	1225/1200
Mini ground clearance	Mm	120
Mini turning radium	Mm	6800
Max speed	Km/h	30
Maximum grade ability	%	25
Total weight(including storage battery)	Kg	1250
Carrying capacity (mass)	Kg	1050
Seating Capacity	Person	14
Mileage	Km	80
Battery motor power system		4KW/5kw/48v—210AH



IL-GD11A SIGHTSEEING CART

Item	Unit	Specification
Length × Width × Height	Mm	4670×1530×1970
Wheel base	Mm	2660
Front /back	Mm	1225/1200
Mini ground clearance	Mm	120
Mini turning radium	Mm	6500
Max speed	Km/h	30
Maximum grade ability	%	25
Total weight(including storage battery)	Kg	1150
Carrying capacity (mass)	Kg	825
Seating Capacity	Person	11
Mileage	Km	99
Battery motor power system		4kw/48v—210AH



IL-GD08A SIGHTSEEING CART

Item	Unit	Specification
Length × Width × Height	Mm	3600×1360×1900
Wheel base	Mm	2480
Front /back	Mm	1170/1220
Mini ground clearance	Mm	130
Mini turning radium	Mm	4500
Max speed	Km/h	30
Maximum grade ability	%	20
Total weight(including storage battery)	Kg	700
Carrying capacity (mass)	Kg	600
Seating Capacity	Person	8
Mileage	Km	100
Battery motor power system		3KW/48V—210Ah



11 SEATS SIGHTSEEING CART



8 SEATS SIGHTSEEING CART



14 SEATS SIGHTSEEING CART